UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/568,137	02/08/2006	Ralf Henn	101914503	7747
26646 KENYON & K	7590 09/26/200 ENYON LLP	8	EXAMINER	
ONE BROADWAY			ROJAS, BERNARD	
NEW YORK, NY 10004			ART UNIT	PAPER NUMBER
			2832	
			MAIL DATE	DELIVERY MODE
			09/26/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Comments	10/568,137	HENN ET AL.				
Office Action Summary	Examiner	Art Unit				
	BERNARD ROJAS	2832				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 6(a). In no event, however, may a reply be timil apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	l. ely filed he mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on						
	-· action is non-final.					
3) Since this application is in condition for allowan		secution as to the merits is				
closed in accordance with the practice under E.						
disessa in assertantes with the practice and in	x parte gaayle, 1000 G.B. 11, 10	0 0.0. 210.				
Disposition of Claims						
4)⊠ Claim(s) <u>12-25</u> is/are pending in the application	1.					
4a) Of the above claim(s) is/are withdraw	n from consideration.					
5) Claim(s) is/are allowed.						
6)  Claim(s) <u>12-25</u> is/are rejected.						
7) Claim(s) is/are objected to.						
o) Claim(o) and dubject to rectnetion and, or	olocion requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner	•					
10)⊠ The drawing(s) filed on <u>08 February 2006</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Ex			•			
The path of declaration is objected to by the Ex-	anniner. Note the attached Office	Action of form PTO-152.				
Priority under 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign a)⊠ All b)□ Some * c)□ None of:	priority under 35 U.S.C. § 119(a)	-(d) or (f).				
1. Certified copies of the priority documents	s have been received.					
2. Certified copies of the priority documents	have been received in Application	on No				
3. Copies of the certified copies of the prior	ity documents have been receive	d in this National Stage				
application from the International Bureau	•	ŭ				
	* See the attached detailed Office action for a list of the certified copies not received.					
	·					
Attachment(s)						
1) Notice of References Cited (PTO-892)	4)	(PTO-413) te				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	5) Notice of Informal Pa					
Paper No(s)/Mail Date <u>02082006</u> .	6) Other:					

### **DETAILED ACTION**

## **Priority**

Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

#### Information Disclosure Statement

The information disclosure statement filed 02/08/2006 fails to comply with 37 CFR 1.98(a)(2), which requires a legible copy of each cited foreign patent document; each non-patent literature publication or that portion which caused it to be listed; and all other information or that portion which caused it to be listed. It has been placed in the application file, but the information referred to therein has not been considered.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 12-18 and 20-25 are rejected under 35 U.S.C. 102(b) as being anticipated by Shouji et al. [US 5,796,564].

Claim 12, Shouji et al. discloses a carrier device for magnetizable substrates (Figure 1), comprising: at least one magnetized base element (base 1, Figure 1, wherein the base is magnetized by the forming of a magnetic film 3 onto the principal

surface 1a, Col. 6, line 61-Col. 7, line 22), which has at least one receptacle (recessed portion 2, Figure 1) for a substrate (magnetic film 3).

Claim 13, Shouji et al. discloses the carrier device as recited in claim 12, wherein the substrate is a thin film substrate (thin magnetic film 3, shown in Figures 2-3).

Claim 14, Shouji et al. discloses the carrier device as recited in claim 12, wherein the base element includes a magnetized base metal sheet (once the magnetic film is formed on the base, as shown in Figure 3, the base includes the magnetized metal sheet represented by the metallic magnetic film 3, Col. 7, lines 9-22).

Claim 15, Shouji et al. discloses the carrier device as recited in claim 14, wherein the receptacle for the substrate is one of a drilled hole, a stamped hole, or a passage with or without depressions in the base metal sheet, a shape and dimensions of the receptacle being tailored to the contour of the substrate (forming of recessed portions 2 for magnetic film having the shape corresponding to the magnetic path shape of the magnetic core, Col. 7, line 61 – Col. 8, line 8).

Claim 16, Shouji et al. discloses the carrier device as recited in claim 15, wherein the base metal sheet has multiple at least one of: i) drilled holes, ii) stamped holes, and iii) passages with or without depressions, which are positioned in a grid (passages positions in a grid such as those shown in Figure 3 or those shown in Figure 16).

Claim 17, Shouji et al. discloses the carrier device as recited in claim 12, wherein the substrate has a peripheral collar [outer edge's of the substrate, figure 4] and a shape and dimensions of the receptacle being such that the collar of the substrate rests only partially on the base element (as shown in Figure 3, when the substrate of

magnetic film 3 is within the receptacles 2, it rests only partially on the base element and not on the entire base element).

Claim 18, Shouji et al. discloses the carrier device as recited in claim 12, wherein the substrate has a collar [outer edge's of the substrate, figure 4], and a shape and dimension of the receptacle being such that the collar of the substrate rests only on an edge of the receptacle.

Claim 20, Shouji et al. discloses the carrier device as recited in claim 12, wherein the base element is at least partially made of a ferromagnetic material (complete base element shown in Figure 3 is partially made of ferromagnetic material 3).

Claim 21, Shouji et al. discloses the carrier device as recited in claim 12, further comprising at least one cover element configured to be situated on the base element from at least one of above and below, relative to the base element, the at least one cover being used during a processing of substrate (magnetic film 3 covers the base as shown in Figure 2 on the top surface 1a. The magnetic film covers the base during processing which results in the embodiment of Figure 3). It has been held that the recitation that the element is "configured to" perform a function is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. *In re Hutchinson*, 69 USPQ 1338.

Claim 22, Shouji et al. discloses the carrier device as recited in claim 21, wherein the at least one cover element is configured for a wet process, the at least one cover element having through openings or high media transparency (the sections where the magnetic film 3 does not cover the base 1 constitute through openings, Figure 3). It has

been held that the recitation that the element is "configured for" perform a function is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. *In re Hutchinson*, 69 USPQ 1338.

Claim 23, Shouji et al. discloses the carrier device as recited in claim 21, wherein the at least one cover element (magnetic film 3 as shown in Figure 2) is configured for layer deposition (magnetic film 3 may comprise stacked insulating films, Col. 7, lines 19-22). It has been held that the recitation that the element is "configured for" perform a function is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. *In re Hutchinson*, 69 USPQ 1338.

Claim 24, Shouji et al. discloses the carrier device as recited in claim 21, wherein the at least one cover element (magnetic film 3 as shown in Figure 2) is configured for shadow mask deposition (mirror processing, Col. 7, lines 23-30). It has been held that the recitation that the element is "configured for" perform a function is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. *In re Hutchinson*, 69 USPQ 1338.

Claim 25, Shouji et al. discloses the carrier device as recited in claim 21, wherein the at least one cover element (magnetic film 3 as shown in Figure 2) is implemented in a form of sheets (stacked laminated insulating films, Col. 7, lines 19-22), each sheet being provided with at least one of: i) drilled holes, ii) stamped holes, and iii) passages with or without depressions (passages/depressions shown in Figures 1-3 for the forming of the magnetic film 3).

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shouji et al. [US 5,796,564].

Shouji et al. discloses the claimed invention except for the composition of the base element. It would have been obvious to one of ordinary skill in the art at the time the invention was made to alter the composition of the base element to any magnetizable material, since applicant has not disclosed that using Sm4Co17 solves any stated problem or is for any particular purpose and it appears that the invention would perform equally well with the material disclosed by Shouji et al.

Application/Control Number: 10/568,137

Art Unit: 2832

Conclusion

Any inquiry concerning this communication or earlier communications from the

Page 7

examiner should be directed to BERNARD ROJAS whose telephone number is

(571)272-1998. The examiner can normally be reached on M and W-F, 5:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Elvin G. Enad can be reached on (571) 272-1990. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Elvin G Enad/

Supervisory Patent Examiner, Art Unit 2832

Br

/Bernard Rojas/

Examiner, Art Unit 2832